




## SIGNED Master Chimle DATE 17: 100, 11 MAINTENANCE, INSPECTIONS, REPAIRS AND ALTERATIONS 15/99 Hobbs 12999 SMOH 0.0 Install this engine in Cessna 340A, S/N 340A-0604, N 8637K left position. Install with new engine mounts, fuel loil flex hoses, and exhaust nuts. Prop governor overhanded by Touspeed Aero Covenors- see yellow tag. Service engine with Aerosnell 100-50 Break-moil. Oround run, leak check, adjust fuel system as per TCM S.I.D. 97-3. Test fly; return to Kenin Schot Art 550615488 service.




	Anthing Mithalian	LILIULUDA UOLIZIANI NA	Brun tebair are	SIGNATURE OF PERSON MAKING ENTRY	TACHOMETER READING	INSPECTION REFERENCE DATA
	W.O.#. HOBBS: TACH: TOTAL TIME. TSMOH:	5/21/99 1878 1342.7		ENGINE LOGBOOK INSERT PACIFIC CONTINENTAL ENGINES, INC. 16041 Arminta Street Van Nuys, CA 91406  POSITION: LEFT	MODEL: S/N: REG. #: ENG. MOD: ENG. S/N:	340A0804 N8637K
1-1	PERTINENT DE	TAILS OF THE	E REPAIR AR	220-5, S/N A219238 FOR REPAIR, REINSTALLED TO TO ENGINE PER MANUFACTURER'S SPECIFIC TAG ATTACHED)  RE ON FILE AT THIS FACILITY UNDER WORK OF JANDAGHI	RDER # 1878.	THID LEAK
	1: 1	1 :	1 :	A&D 570919997		
	:	: ;	:	A&D 570919997		
TOTALS	:	: :	:	All repairs, inspections, alterations mechanic or repair agency with na	must be endorsed	by a certificant


	TANKS AND ALTERATIONS	
INSPECTION REFERENCE DATA	MAINTENANCE, INSPECTIONS, REPAIRS AND ALTERATIONS  WHITE GOVE To the 1364.5  Charge oil & filter, Service with 11gts Aeroshell  Charge oil & filter, Service with 12gts Aeroshell  [DOW-50. Grandrun, return to Service.  [DOW-50. Grandrun, return to School S488]	
340A A0604 8637K	100W-50, Crack Kenin-Schaft AAP SSD013430 919/99 Tach 1418.9 SMOH 119.0 919/99 Tach 1418.9 SMOH 119.0 405+:#1-73,#2-73,#3-74, #4.70, #5-71, #6-68.	
K	Grupession test:#1-73,#2-73,#3.74, #4.70, #5-71, #6  Compression test:#1-73,#2-73,#3.74, #4.70, #5-71, #6  Charge oil & filter, Service with Ilgts Aeroshell 100w-50.  Charge oil & filter, Service with Ilgts Aeroshell 100w-50.  Service Spark plugs. Replace tach generator drive  Seal. Engine ground run & leak checked.  Kenin S. With A&P 550615488	=
cated		








		repairs, inspections, alterations hanic or repair agency with	IIA :	:		SIATOT
			:	:	:	
				1:	1:	
			- :	+ :	:	
1				<del>  :</del>		
			:		:	
	8845190	cuir Stubl Art 55	2/ :	: :	:	
as-m	D' 5-0518 VM	savice with 11gts A for reparts- See for	21 to 20 = 5 cm	0	S+2	
O ATAO		7 11 712 03400	: 2	: : : : : : : : : : : : : : : : : : :	. 10	
NEFERENCE	SENDING SHIDASA	SIGNATURE OF PERSON MAKING ENTRY	JATOT S	ANT ANT		
	STATE OF THE PARTY	SIGNATURE OF PERSON	IVIOI	The same work Sp.	Return to Service i	




























Market And								
			asasy)					
	DAT	E P	Performance	e Air, Inc.				
	BRT							
		Pi	ickens Co	inty (KLQK)			DATE	MÄTÄM
			0/1/15	SMOH (L) 955.2,(R) 95	55.1 Inspected and serviced engine	4.1		
		49	/CT T 905.8	PSMOH (L)1011.4(R) 85	1,00	this date:_9/1/15 Teyedyne Service		
	-	_ N8	8637K	HOBBS 215.0	Compression are as follows:#1 #5 ( 70 ), #6 ( 68 )	( 68), #2 ( 64 ), #3 ( 68 ), #4( 62 ),	1	
	-	Serv	riced engine v	vith (1) new AA 48)	108 and (10ts) Aeroshell 100, replaced all			
	-	C/W	the following	g A.D's 14-05-20	Rasacrehad Superior and J	injector seals, installed new airfilter.		
	-	detai	ils >.	8	Researched Superior cylinders not insta-	lled. <see a.d="" for="" further<="" sheets="" status="" td=""><td></td><td></td></see>		
	-	I cer	tify that th	is engine has bee	en inspected in accordance	My SH.		
		with	an <u>100 hr</u> orthy condi	. inspection an	d was determined to be in	I/A,A&P248679226		
	1		1 .	1	SERVICE			
			1	:				
	TOTALS				All			
		:			All repairs, inspections, alteration mechanic or repair agency with	ons must be endorsed by a certi	ificated	1
					- Soncy Will	name, rating and cert. no.		
			21	1 7 1	El = 17			Service and Advanced to the Control of the Control





	Pick 10/0 A/CT 4958.8 N8637.  Servicea manifola C/W the further of	ens Coun 02/17 T K lengine with lpsi, lubed in following a letails >.	A.D's <u>16-16-12</u> R this engine has	Manual Ma
	:	:	1:	
TOTALS				All repairs, inspections, alterations must be endorsed by a certificated mechanic or repair agency with name, rating and cert. no.